



Safety Data Sheet Uvex Clear Plus 16oz Spray - S471 Uvex Clear Gallon Refill - S482

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name

Mixture

Trade name

CAS No.

Alcohol Free Lens Cleaner

Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified use(s)

Optics cleaner solution

Uses advised against

None.

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Not classified as dangerous for supply/use.

Label elements

Hazard Symbol Signal Word(s) Hazard statement(s) None

None None

Precautionary statement(s)

Avoid getting liquid into eyes.

Other hazards

None

Additional Information

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

,				
1	Hazardous ingredient(s)	%WW	CAS No.	Hazard statement(s)
ı	。	APLANCE SERVICE SERVICES	STANDARD STANDARD STANDARD	
1	At a Laborate and the Samuel Community of the Community o		*	
ı	Not classified as dangerous for supply/use.			
- 1				1

Additional Information: Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below:

- Contains: 1-methoxypropan-2-ol (CAS No.107-98-2).

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation

Not normally required.

Skin Contact

Not normally required. Gently wash with plenty of soap and water. If

symptoms occur obtain medical attention.

Eye Contact

If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. If initation develops and persists, get

medical attention.

Incestion

Not normally required.

Most important symptoms and effects, both acute

and delayed

Indication of the immediate medical attention and

special treatment needed

None

For more information on the Honeywell Uvex products, please contact your Honeywell Representative or Customer Support at 800.430.5490



Uvex Clear Plus 16oz Spray – S471 Uvex Clear Gallon Refill – S482

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media Unsuitable Extinguishing Media Non-combustible. As appropriate for surrounding fire.

None anticipated.

Special hazards arising from the substance or mixture

None anticipated.

Advice for fire-fighters

Fire fighters should wear complete protective clothing

including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency

procedures

Avoid getting liquid into eyes.

Environmental precautions

Not normally required.

Methods and material for containment and cleaning up

Transfer to a container for disposal or recovery.

Reference to other sections

None

Additional Information

None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid getting liquid into eyes.

Conditions for safe storage, including any incompatibilities

Storage Temperature Incompatible materials Store at room temperature.
Substances that react with water.

Specific end use(s)

Optics cleaner solution

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

100	SUBSTANCE.	CAS No.	Annual Control of the	TWA) TLV (ACGIH)	off a 6 h. IC Ard a colonier of a fact of	TEL) TLV (ACGIH)	Note:
	1-methoxypropan-2-ol	107-98-2		50 ppm		100 ppm	

-LTEL: Long Term Exposure Limit; -STEL: Short Term Exposure Limit

Appropriate engineering controls

Not normally required.

Personal protection equipment

Eye/face protection

Not normally required.



Skin protection (Hand protection/Other)

Not normally required.



Respiratory protection

Not normally required



Thermal hazards

Not normally required.

Environmental Exposure Controls

Not normally required.

For more information on the **Honeywell Uvex products**, please contact your Honeywell Representative or Customer Support at **800.430.5490**



Uvex Clear Plus 16oz Spray – S471 Uvex Clear Gallon Refill – S482

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid
Colour Blue
Odour Fruit-like
Odour Threshold (ppm) Not available

pH (Value) ~0 (~ 32 °F) Melting Point (°C) / Freezing Point (°C) Bolling point/boiling range (°C): ~ 100 (~ 212 °F) >200°F / 93.3°C Flash Point (°C) Similar to water Evaporation rate Flammability (solid, gas) Not applicable Not applicable Explosive limit ranges Vapour Pressure (Pascal) Similar to water Vapour Density (Air=1) Not available

 Vapour Density (Air=1)
 Not ava≅able

 Density (g/ml)
 ~ 1 (~ 8.34 ib/ga²)

 Solubility (Water)
 Miscible

 Solubility (Other)
 Not avaïable

Partition Coefficient (n-Octanol/water)

Auto Ignition Temperature (°C)

Non-combustit

Auto Ignition Temperature (°C)

Non-combustible / Non-flammable
Decomposition Temperature (°C)

Not available

Kinematic Viscosity (cSt) @ 40°C Similar to water Explosive properties Not explosive Oxidising properties Not oxidising Other information Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid None known

Incompatible materials Substances that react with water

Hazardous Decomposition Product(s) None known

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Skin Contact, Eye Contact Information on toxicological effects:

1-methoxypropan-2-ol (CAS# 107-98-2)

Acute toxicity Oral: LD50 = 4000 mg/kg-bw

Dermal: LD50 >2000 mg/kg-bw

Inhalation: LC50 >7000 ppm (Vapor), 6-hr. rat

Irritation/Corrosivity Unlikely to cause skin irritation. Unlikely to cause eye irritation.

Sensitization It is not a skin sensitizer.
Repeated dose toxicity Not to be expected.

Carcinogenicity Not to be expected.

l	NTP	IARC	ACGIH	OSHA
- 4	No.	I NO.	INO.	No.

Mutagenicity There is no evidence of mutagenic potential.

Mutagenicity I nere is no evidence of minagenic potenti Reproductive toxicity Not to be expected.

For more information on the **Honeywell Uvex products**, please contact your Honeywell Representative or Customer Support at **800.430.5490**



Uvex Clear Plus 16oz Spray - S471 Uvex Clear Gallon Refill - S482

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity (estimated / calculated)

Acute toxicity

LC50 (95 hour): >100 mg/l (Fish)

EC50 (48 hour): >100 mg/i (Aquatic Invertebrates)

EC50 (72 hour): >100 mg/i (Aquatic Plants)

Long Term Toxicity

Not to be expected.

Persistence and degradability Bioaccumulative potential

Mobility in soil

Results of PBT and vPvB assessment

Other adverse effects

Part of the components are poorly biodegradable. The product has no potential for bioaccumulation.

Not ava₹able.

Not classified as PBT or vPvB.

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national

legislation.Consult an accredited waste disposal contractor or the local

authority for advice.

Additional Information

None known.

SECTION 14: TRANSPORT INFORMATION

Land transport (U.S. DOT)

Sea transport (IMDG)

Not classified as dangerous for transport.

Air transport (ICAOJIATA)

UN number

Proper Shipping Name

Transport hazard class(es)

Packing group

Environmental hazards

Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or exempt.

US RCRA No.: None

US RCRA Hazard Class: None anticipated

SARA 311/312 - Hazard Categories: None

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute)

☐ Chronic (delayed)

SARA 313 - Toxic Chemicals: None

SARA 302 - Extremely Hazardous Substances: None

For more information on the Honeywell Uvex products, please contact your Honeywell Representative or Customer Support at 800.430.5490