

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: C001017

Issue date: 7/1/2020 Revision date: 7/1/2020 Supersedes: 6/30/2020 Version: 1.1

1.1. Identification

Product form

: Mixture

Product name Product code : Cuda 1993 The Original : C001017-040-CAN

1.2. Recommended use and restrictions on use

Use of the substance/mixture

: Industrial use

1.3. Supplier

Cuda Cleaning Systems 600 21st Street SW Watertown, SD 57201 - USA

T 844-394-4412

1.4. Emergency telephone number

Emergency number

: 800-535-5053

SECTION 2: (Exarc(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Corr. 1

H314

Causes severe skin burns and eye damage

Eye Dam. 1

H318

Causes serious eye damage

Full text of hazard classes and H-statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Precautionary statements (GHS US)

: P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium Carbonate	CAS-No.: 497-19-8	20 – 50	Acute Tox. 4 (Inhalation:dust,mist), H332
Sodium Metasilicate	CAS-No.: 6834-92-0	10 – 20	Skin Corr. 1, H314 Eye Dam. 1, H318
Oxirane, Methyl-, Polymer	CAS-No.: 9003-11-6	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
Diethylene Glycol Mono-Butyl Ether	CAS-No.: 112-34-5	1-3	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: Flickald measures

4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

Rinse mouth. Do not induce vomiting. Call a physician immediately. Do NOT induce vomiting.
 Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact

: Burns.

Symptoms/effects after eye contact

: Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

7/1/2020 (Revision date) EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECUENTIAL PROPERTY OF THE SECUENCE OF THE SEC

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media

: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire

: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective

equipment, including respiratory protection.

SECTION OF ASSISTANCE IN TABLE

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimize

generation of dust. Store away from other materials.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7/1/2020 (Revision date) EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

- : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
 - Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Keep only in the original container in

a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

noticetory linearing leading enurough (EUCliDEE)

8.1. Control parameters

Cuda 1993 The Original

No additional information available

Sodium Metasilicate (6834-92-0)

No additional information available

Sodium Carbonate (497-19-8)

No additional information available

Oxirane, Methyl-, Polymer (9003-11-6)

No additional information available

Diethylene Glycol Mono-Butyl Ether (112-34-5)

USA - ACGIH - Occupational Exposure Limits

Local name	Diethylene glycol monobutyl ether	
ACGIH OEL TWA [ppm]	10 ppm (Inhalable fraction and vapor)	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Protective gloves. Wear protective gloves.

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SEGION9: Physical and chamical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Color : White

Odor : characteristic

Odor threshold : No data available

pH : 12.8

Melting point : No data available
Freezing point : Not applicable
Boiling point : No data available

Flash point : Not applicable
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Non flammable.

Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : No data available
Solubility : No data available

Partition coefficient n-octanol/water (Log Pow)

Auto-ignition temperature

Decomposition temperature

Viscosity, kinematic

Viscosity, dynamic

Explosion limits

No data available

Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION TO: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

7/1/2020 (Revision date) EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
Sodium Metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read-across, Dermal)
LC50 inhalation rat (mg/l)	> 2.06 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across, Inhalation (vapours))
Sodium Carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500. 40, 24 h, Rabbit, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	2.3 mg/l (2 h, Rat, Male, Experimental value, Inhalation (aerosol))
ATE US (oral)	2800 mg/kg body weight
ATE US (vapors)	2.3 mg/l/4h
ATE US (dust, mist)	2.3 mg/l/4h
Diethylene Glycol Mono-Butyl Ether (112-34-	5)
LD50 dermal rabbit	2764 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal)
ATE US (dermal)	2764 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	pH: 12.8 : Causes serious eye damage. pH: 12.8
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	Causes serious eye damage. pH: 12.8 Not classified Not classified Not classified
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure	Causes serious eye damage. pH: 12.8 Not classified Not classified Not classified Not classified Not classified Not classified
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard	: Causes serious eye damage. pH: 12.8 : Not classified : Not classified : Not classified : Not classified
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Potential Adverse human health effects and symptoms	Causes serious eye damage. pH: 12.8 Not classified Source of the classified Not classified Based on available data, the classification criteria are not met.
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Potential Adverse human health effects and symptoms	: Causes serious eye damage. pH: 12.8 : Not classified : Not plicable

7/1/2020 (Revision date) EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	on ·
12.1. Toxicity	
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Sodium Metasilicate (6834-92-0)	
LC50 - Fish [1]	210 mg/l (Equivalent or similar to OECD 203, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Experimental value)
EC50 - Daphnia [1]	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)
Sodium Carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (Other, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value)
EC50 - Daphnia [1]	200 – 227 mg/l (Other, 48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value)
Diethylene Glycol Mono-Butyl Ether (1	12-34-5):
LC50 - Fish [1]	1300 mg/l (Equivalent or similar to OECD 203, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Daphnia [1]	> 100 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	1101 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
12.2. Persistence and degradability	
Cuda 1993 The Original	그림은 그렇게 하면 아니라 아니라 보는 사람들은 사람들은 사람들이 되었다. 그렇게 되었다는 그 그렇게 되었다는 것이 되었다.
Description of a second of the	I Not a skill shoot
Persistence and degradability	Not established.
Sodium Metasilicate (6834-92-0)	
Sodium Metasilicate (6834-92-0) Persistence and degradability	Biodegradability: not applicable.
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD)	Biodegradability: not applicable. Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability	Biodegradability: not applicable. Not applicable Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD)	Biodegradability: not applicable. Not applicable Not applicable Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	Biodegradability: not applicable. Not applicable Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD	Biodegradability: not applicable. Not applicable Not applicable Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD)	Biodegradability: not applicable. Not applicable Not applicable Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) Sodium Carbonate (497-19-8)	Biodegradability: not applicable. Not applicable Not applicable Not applicable Not applicable Not applicable
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) Sodium Carbonate (497-19-8) Persistence and degradability	Biodegradability: not applicable. Not applicable Not applicable Not applicable Not applicable Biodegradability: not applicable.
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) Sodium Carbonate (497-19-8) Persistence and degradability Biochemical oxygen demand (BOD)	Biodegradability: not applicable. Not applicable Not applicable Not applicable Not applicable Biodegradability: not applicable. Not applicable (inorganic)
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) Sodium Carbonate (497-19-8) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	Biodegradability: not applicable. Not applicable Not applicable Not applicable Not applicable Since a specific applicable applicable. Not applicable (inorganic) Not applicable (inorganic)
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) Sodium Carbonate (497-19-8) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD	Biodegradability: not applicable. Not applicable Not applicable Not applicable Not applicable Since a specific applicable applicable. Not applicable (inorganic) Not applicable (inorganic)
Sodium Metasilicate (6834-92-0) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD BOD (% of ThOD) Sodium Carbonate (497-19-8) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD Oxirane, Methyl-, Polymer (9003-11-6)	Biodegradability: not applicable. Not applicable Not applicable Not applicable Not applicable Biodegradability: not applicable. Not applicable (inorganic) Not readily biodegradable in water.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

Cuda 1993 The Original	
Bioaccumulative potential	Not established.
Sodium Metasilicate (6834-92-0)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Sodium Carbonate (497-19-8)	
Partition coefficient n-octanol/water (Log Pow)	-6.19 (Estimated value)
Bioaccumulative potential	Not bloaccumulative.
Oxirane, Methyl-, Polymer (9003-11-6)	
Bioaccumulative potential	Not bloaccumulative.
Diethylene Glycol Mono-Butyl Ether (112-34	-5)
Partition coefficient n-octanol/water (Log Pow)	1 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Sodium Metasilicate (6834-92-0)	
Ecology - soil	No (test)data on mobility of the substance available.
Sodium Carbonate (497-19-8)	
Ecology - soil	Low potential for adsorption in soil.
Diethylene Glycol Mono-Butyl Ether (112-34-5	
Surface tension	27 mN/m (25 °C, 0.00212 mol/g)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Other information : Avoid release to the environment.

endimental contracted to the COTOEE

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECULONAL Veneport Information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable

7/1/2020 (Revision date) EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15.1. US Federal regulations

Sodium Metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium Carbonate (497-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Oxirane, Methyl-, Polymer (9003-11-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diethylene Glycol Mono-Butyl Ether (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

Diethylene Glycol Mono-Butyl Ether (112-34-5):

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 07/01/2020

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases	
Acute Tox. 4 (Inhalation:dust,m ist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1	Skin corrosion/irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H402	Harmful to aquatic life

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.