Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 02/28/2017

Revision date: 02/28/2017

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixtures
Product name : Air Tool Oil
Product code : 4168/4169

1.2. Recommended use and restrictions on use

Recommended use : Pneumatic tool lubricant

1.3. Supplier

Manufacturer

Kleen-Flo Tumbler Industries Ltd.

75 Advance Blvd.

L6T 4N1 Brampton - Canada

T (905) 793-4311

1.4. Emergency telephone number

Emergency number

: CANUTEC 613-996-6666

Guidelines for SDS Use: The product described in this SDS is a consumer product. It is safe for use by consumers as described on the product label under normal foreseeable conditions. This SDS is designed to provide additional valuable safety and handling information.

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flam. Liq. 4 H227 Repr. 1A H360 Asp. Tox. 1 H304

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)

Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) : H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways H360 - May damage fertility or the unborn child

Precautionary statements (GHS-CA) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308+P313 - IF exposed or concerned: Get medical advice/attention

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting P403 - Store in a well-ventilated place

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

Not applicable

SECTION 3: Composition/information on ingredients

Not applicable

Name	Product identifier	%
Distillates, petroleum, hydrotreated light naphthenic	(CAS No) 64742-53-6	7-13
Stoddard solvent	(CAS No) 8052-41-3	7-13
Methyl salicylate	(CAS No) 119-36-8	0.1-1

02/28/2017

EN (English)

Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

G	1 =(*	50	6	XIII	л	П	7	77	•	7.1	,	m	7

4.1. Description of first aid measures

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation

First-aid measures after eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

skin.

Symptoms/effects after eye contact

May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/effects after ingestion

May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment

: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Carbon dioxide (CO2), dry chemical powder, foam. Water spray or fog.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media

: Do not use water jet.

5.3. Specific hazards arising from the

Suitable extinguishing media

zardous product

Fire hazard

Combustible liquid. Products of combustion may include, and are not limited to: oxides of

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions

Cool closed containers exposed to fire with water spray.

Protection during firefighting

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition.

6.2. Methods and materials for containment and cleaning up

For containment

Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear

recommended personal protective equipment.

Methods for cleaning up

Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling Precautions for safe handling

Avoid breathing dust, fume, gas, mist, spray, vapours. Avoid contact with skin, eyes and clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Keep away from sources of ignition - No smoking. Take precautionary measures

against static discharge. Use only non-sparking tools.

Hygiene measures

Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

02/28/2017

Keep out of the reach of children. Keep container tightly closed. Store away from direct sunlight or other heat sources. Store in a dry, cool and well-ventilated place. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Stoddard solvent (8052-41-3) ACGIH TWA (ppm) USA - ACGIH

100 ppm

Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

2/5 EN (English)

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

8.3. Individual protection measures/Personal protective equipment

Wear suitable gloves resistant to chemical penetration

Eve protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

: Liquid

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state

Appearance Clear, Oil

Colour Red

Odour Characteristic Odour threshold No data available pН No data available

Relative evaporation rate (butylacetate=1) No data available Relative evaporation rate (ether=1) No data available Melting point No data available

: No data available Freezing point > 129 °C **Boiling point**

Flash point 69 °C (TCC) : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Flammable No data available Vapour pressure Vapour pressure at 50 °C No data available

Relative density

Solubility No data available : No data available Partition coefficient n-octanol/water Viscosity, kinematic 10 - 12 cSt (at 40°C) Explosive limits : No data available

9.2. Other information No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity Reactivity

No dangerous reactions known under normal conditions of use.

Chemical stability Stable under normal conditions. May form flammable/explosive vapour-air mixture.

Possibility of hazardous reactions No dangerous reactions known under normal conditions of use. Conditions to avoid Heat. Direct sunlight. Sources of ignition. Incompatible materials.

Incompatible materials Strong oxidizing agents.

May include, and are not limited to: oxides of carbon. May release flammable gases. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified. Acute toxicity (oral) Acute toxicity (dermal) Not classified. Acute toxicity (inhalation) Not classified.

Methyl salicylate (119-36-8)	
LD50 oral rat	887 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

3/5 02/28/2017 EN (English)

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

ng/kg ng/kg ng/kg g/m³ (Exposure time: 4 h) sified. fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia. use long-term adverse effects in the aquatic environment.
sified. mage fertility or the unborn child. sified. fied. sified. fied. sified. sified
issified. issified. issified. issified. issified. issified. mage fertility or the unborn child. issified.
sified. fatal if swallowed and enters airways. mm²/s butes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear on, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
sified. sified. mage fertility or the unborn child. sified. sified. sified. sified. sified. sified. fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
sified. mage fertility or the unborn child. sified. sified. sified. sified. fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
sified. sified. sified. fatal if swallowed and enters airways. mm²/s butes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. If atal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
mage fertility or the unborn child. sified. sified. fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
isified. fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
isified. fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
fatal if swallowed and enters airways. mm²/s putes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
outes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
outes of exposure: ingestion, inhalation, skin and eye. use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
use irritation to the respiratory tract. use skin irritation. Symptoms may include redness, drying, defatting and cracking of the use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
use eye irritation. Symptoms may include discomfort or pain, excess blinking and tear ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, gand diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
ion, with possible redness and swelling. fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, gand diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
g and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.
use long torm advance effects in the equatio equipment
use long term adverse effects in the aquatic environment
use long town adverse effects in the equation makenment
use long-term adverse enects in the aquatic environment.
4742-53-6)
mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
mg/l (Exposure time: 48 h - Species: Daphnia magna)
iblished.
iblished.
r effects known.
of contents/container to hazardous or special waste collection point, in accordance
al, regional, national and/or international regulation.
empty containers with care because residual vapours are flammable.

02/28/2017 EN (English) 4/5

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.2. Transport information/DOT

No additional information available

14.3. Air and sea transport

No additional information available

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:

Phenol, dodecyl-, branched

CAS No 121158-58-5

15.2. International regulations

No additional information available

SECTION 16: Other information

Date of issue Revision date Other information : 02/28/2017 : 02/28/2017

: None.

Prepared by

: Kleen-Flo Tumbler Ind. Ltd.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warrenty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

5/5