SUPER CONCENTRATE

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

160 - 0 75c3, SC5, SC8, SC3C, SC5C, SC8C
Page 1 of 8

PIN SC3 SC5

MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product identifier

SUPER CONCENTRATE

: Degreaser.

Product Use Chemical Family

: Mixture.

Manufacturer part no.

SC3, SC5, SC8, SC3C, SC5C, SC8C

Supplier's name and address:

Manufacturer's name and address:

Radiator Specialty Co., of Canada

Refer to Supplier

1711 Aimco Blvd.

Mississauga, ON, Canada

L4W 1H7

Information Telephone #

(905) 625-9117 (Monday - Friday, 8 AM - 4 PM)

24 Hr. Emergency Tel #

: 613-996-6666 (CANUTEC)

SECTION 2 - HAZARDS IDENTIFICATION

Classification

WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR).

WHMIS classification:

Class B3 (Combustible Liquids);

Class D1A (Materials Causing Immediate and Serious Toxic Effects, Very Toxic

Material):

Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material); Class D2B (Materials Causing Other Toxic Effects, Toxic Material).

Labelling: Phrases recommended to appear on a supplier label, can be found in Section 15.

WHMIS symbols required on a supplier label:





Emergency Overview

Dark amber liquid. Petroleum odour.

WARNING! Combustible liquid and vapour. POISON! May be fatal if inhaled. Harmful or fatal if absorbed through the skin. Harmful or fatal if swallowed. May cause nausea, vomiting, headache and other central nervous system effects. Causes eye, skin and respiratory irritation. May be an aspiration hazard. Contains material which can cause damage to the blood system, the liver and the kidneys. Contains material which may cause cancer, based on animal data.

Contains material that may be harmful in the environment.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation: May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Inhalation in very high concentrations may result in blood system effects, such as red blood cell fragility. Liver and kidney injuries

may occur. May result in unconsciousness and possibly death.

Skin : May cause moderate to severe skin irritation. May be absorbed and cause symptoms similar to those for

inhalation.

Eyes: Causes severe eye irritation. May cause burning sensation, redness and tearing (watering).

May cause severe irritation to the mouth, throat and stomach. Ingestion may cause symptoms similar to

inhalation. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting

may cause chemical pneumonitis, which can be fatal.

Effects of long-term (chronic) exposure

Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Contains: 2-butoxyethanol. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data. Humans are less sensitive to these

SUPER CONCENTRATE

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

Page 2 of 8

Carcinogenic status

Possible cancer hazard. See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards

See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

Contains material that may be harmful in the environment. See Section 12 for more environmental information.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>		CAS#		Wt.%	
Petroleum distillates		68476-34-6		60.00 - 100.00)
Distillates (petroleum), straight-run middle		64741-44-2		15.00 - 40.00	
Petroleum sulfonate		78330-12-8		5.00 - 10.00	***************************************
Nonyl phenol ethoxylate		9016-45-9		3.00 - 7.00	
2-butoxyethanol		111-76-2		1.00 - 5.00	

SECTION 4 - FIRST AID MEASURES

Inhalation

Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.

Skin contact

Remove/Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Seek immediate medical attention/advice.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical

attention/advice.

Ingestion

Seek immediate medical attention/advice. Do not induce vomiting. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

Never give anything by mouth to an unconscious person.

Notes For Physician

Treat symptomatically. This product is a CNS depressant, Material is an aspiration hazard.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

Combustible liquid and vapour. Will ignite when exposed to heat, flame and other sources of ignition. Vapours may be heavier than air and may collect in confined and low-lying areas. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Product may float, and be re-ignited at the water's surface.

Oxidizing properties

: None known.

Explosion data: Sensitivity to mechanical impact / static discharge

Not expected to be sensitive to mechanical impact. May be sensitive to static discharge.

Suitable extinguishing media

Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may spread burning material.

Special fire-fighting procedures/equipment

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

Hazardous combustion products

Carbon oxides; formaldehyde; Nitrogen oxides (NOx); Sulphur oxides; Polycyclic aromatic hydrocarbons; Other unidentified organic compounds.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions

All persons dealing with the clean-up should wear the appropriate personal protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

SUPER CONCENTRATE

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

Page 3 of 8

Spill response/cleanup

Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

Prohibited materials

Do not use combustible absorbents, such as sawdust.

SECTION 7 - HANDLING AND STORAGE

Safe Handling procedures

: Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. Avoid contact with incompatible materials. Wash thoroughly after handling. Keep container tightly closed when not in use.

Storage requirements

Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

Incompatible materials

Bases; Strong oxidizing agents; Acids.

Special packaging materials

Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits		
	ACGIH TLV	OSHA PEL
<u>Ingredients</u>	<u>twa</u> <u>stel</u>	<u>PEL</u> <u>STEL</u>
Petroleum distillates	100 mg/m³ (vapor and N/Av aerosol, as total hydrocarbons) (skin)	N/Av N/Av
Distillates (petroleum), straight-run middle	N/Av N/Av	N/Av N/Av
Petroleum sulfonate	N/Av N/Av	N/Av N/Av
Nonyl phenol ethoxylate	N/Av N/Av	N/Av N/Av
2-butoxyethanol	20 ppm N/Av	50 ppm (240 mg/m²) N/Av (skin)

Ventilation and engineering measures

Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should be sought from respiratory protection specialists.

Skin protection

pН

Boiling point

: Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers. Wear resistant clothing and boots.

Eye / face protection

: Chemical splash goggles are recommended. A full face shield may also be necessary.

Other protective equipment

An eyewash station and safety shower should be made available in the immediate working

General hygiene considerations

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink, smoke or use cosmetics while working with this product. Remove and wash contaminated clothing before re-use. Wash with soap and water after handling.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid Appearance : Dark amber liquid.

Odour : Petroleum odour.

Odour threshold : N/Av

: N/Av

> 148.9°C

Specific gravity : 0.86

Melting/Freezing point : N/Av

Coefficient of water/oil distribution

: N/Av

Vapour pressure (mmHg @ 20° C / 68° F)

Solubility in water

: Emulsifies

ΣΜ/Δν/

MSDS Revision Date (mm/dd/yyyy): 07/27/2016 Page 4 of 8

Vapour density (Air = 1) : N/Av Evaporation rate (n-Butyl acetate = 1)

크스 프로그는 그 그 집 한민, 한과도 되는 말한 글 이 한민이를 하는데 하는데 하는데 하는데 한다. N/Avj

Volatile organic Compounds (VOC's)

Volatiles (% by weight) : N/Av

: 0.088 g/mL Flash point : 70.6°C

Flash point Method : Tag closed cup Auto-ignition temperature : N/Av

Lower flammable limit (% by vol.)

Upper flammable limit (% by vol.)

: N/Av : N/Av Flame Projection Length : N/Ap Flashback observed : N/Ap

Absolute pressure of container Viscosity : N/Av

: N/Ap

General Information : No additional information.

Section 10: STABILITY AND REACTIVITY

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed. After prolonged

storage, may release explosive peroxides in the presence of air. Exposure to sunlight

accelerates decomposition.

Hazardous polymerization : Hazardous polymerization does not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Ensure adequate ventilation,

especially in confined areas.

Materials To Avoid And Incompatibility

: Bases; Strong oxidizing agents; Acids.

Hazardous decomposition products

: Peroxides Refer to Section 5 for additional 'Hazardous combustion products'.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, central nervous system, blood system, liver, brain and

kidneys.

Routes of exposure : Inhalation: YES Skin Absorption: YES Skin & Eyes: YES Ingestion: YES

Irritancy : Severe eye irritant. May cause moderate to severe skin irritation.

Toxicological data: There is no available data for the product itself, only for the ingredients. See below for

individual ingredient acute toxicity data.

	LCso(4hr)	LD	50
<u>Ingredients</u>	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)
Petroleum distillates	> 4.81, < 6 mg/L (aerosol)	7600 mg/kg	> 4300 mg/kg
Distillates (petroleum), straight-run middle	1.72 mg/L (mist)	> 5000 mg/kg	> 2000 mg/kg
Petroleum sulfonate	N/Av	> 5000 mg/kg	> 2000 mg/kg
Nonyl phenol ethoxylate	N/Av	1310 mg/kg	2000 mg/kg
2-butoxyethanol	450 ppm (2.175 mg/L) (vapour)	530 mg/kg	400 - 500 mg/kg

Carcinogenic status : Contains the following chemicals listed as confirmed animal carcinogens (A3) by ACGIH:

2-butoxyethanol; Petroleum distillates. No other components are classified as carcinogenic by IARC, ACGIH, OSHA or NTP.

Reproductive effects: Not expected to cause reproductive effects.

Teratogenicity : Not expected to be a teratogen.

Mutagenicity : Not expected to be mutagenic in humans.

Epidemiology : None known or reported by the manufacturer.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : None known or reported by the manufacturer.

other important hazards : CNS depression may result from extreme exposures.

Conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory or blood system disorders.

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. This product contains the following substance which may also be hazardous for the environment: Distillates (petroleum), straight-run middle; Nonylphenol, ethoxylated.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
Petroleum distillates	68476-34-6	57 mg/L (Fathead minnow)	N/Av	None.
Distillates (petroleum), straight-run middle	64741-44-2	21 mg/L (Rainbow trout) (Read-across)	N/Av	None.
Petroleum sulfonate	78330-12-8	N/Av	N/Av	None.
Nonyl phenol ethoxylate	9016-45-9	2.5 - 12.5 mg/L (Fathead minnow)	N/Av	None.
2-butoxyethanol	111-76-2	1490 mg/L (Bluegill sunfish)	> 100 mg/L (Zebra fish)	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Petroleum distillates	68476-34-6	68 mg/L (Daphnia magna)	0.2 mg/L	None.		
Distillates (petroleum), straight-run middle	64741-44-2	6.4 - 36 mg/L (Daphnia magna) (Read-across)	N/Av	None.		
Petroleum sulfonate	78330-12-8	N/Av	N/Av	None.		
Nonyl phenol ethoxylate	9016-45-9	4.8 mg/L (Daphnia magna)	N/Av	None.		
2-butoxyethanol	111-76-2	835 mg/L (Daphnia magna)	100 mg/L	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor	
Petroleum distillates	68476-34-6	> 10 mg/L/72hr (Green algae)	1 mg/L/72hr	None.	
Distillates (petroleum), straight-run middle	64741-44-2	2.079 mg/L/72hr (Green algae) (QSAR)	N/Av	None.	
Petroleum sulfonate	78330-12-8	N/Av	N/Av	None.	
Nonyl phenol ethoxylate	9016-45-9	N/Av	N/Av	None.	
2-butoxyethanol	111-76-2	911 mg/L/72hr (Green algae)	286 mg/L/72hr	None.	

Mobility

: No data is available on the product itself.

Persistence

No data is available on the product itself.
 Contains the following chemicals which are considered to be inherently biodegradable:
 Distillates (petroleum), straight-run middle.

Contains the following chemicals which are not readily biodegradable: Petroleum distillates; Nonylphenol, ethoxylated.

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

Bioaccumulation potential

: No data is available on the product itself. See the following data for ingredient information.

<u>Components</u> <u>Partition coe</u>	fficient n-o Kow)	ctanol/water (log Bioconcentration factor (BCF)
Petroleum distillates (CAS 68476-34-6)	3.9 - 6	N/Av
Distillates (petroleum), straight-run middle (CAS 64741-44-2)	3.9 - 6	N/Av
Nonyl phenol ethoxylate (CAS 9016-45-9)	3.7	< 0.2, < 1.4
2-butoxyethanol (CAS 111-76-2)	0.8	0.97

Other Adverse Environmental effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Do not cut, weld, drill or grind on or near this container. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Methods of Disposal

Dispose of in accordance with federal, provincial and local hazardous waste laws.

SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	Not regulated	None	
TDG Additional Information	None.				

SECTION 15 - REGULATORY INFORMATION

Labelling:

WARNING! Combustible liquid and vapour. POISON! May be fatal if inhaled. Harmful or fatal if absorbed through the skin. Harmful or fatal if swallowed. May cause nausea, vomiting, headache and other central nervous system effects. Causes eye, skin and respiration in May be an aspiration hazard. Contains material which can cause damage to the blood system, the liver and the kidneys. Contains material which may cause cancer, based on animal data.

PRECAUTIONS: Use in a well-ventilated area. Wear suitable protective equipment during handling. Do not breathe vapours or spray mist. Do not ingest. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. Avoid contact with incompatible materials. Wash thoroughly after handling. Keep containers closed when not in use. Store in a cool, dry, well-ventilated area away from sources of heat, ignition and sunlight.

FIRST AID: If inhaled, move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. For skin contact, flush with water for at least 15 minutes, while removing contaminated clothing. For eye contact, flush with running water for at least 15 minutes. If ingested, do not induce vomiting. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Never give anything by mouth to an unconscious person. For all cases, obtain medical attention immediately.

Refer To Material Safety Data Sheet for further information.

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

MSDS Revision Date (mm/dd/yyyy): 07/27/2016

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

SECTION 16 - OTHER INFORMATION

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services **CNS: Central Nervous System**

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RTECS: Registry of Toxic Effects of Chemical Substances

STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References

- 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016.
- 2. International Agency for Research on Cancer Monographs, searched 2016.
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2016 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. OECD The Global Portal to Information on Chemical Substances eChemPortal, 2016.

Prepared for:

Radiator Specialty Co. of Canada

1711 Aimco Blvd.

Mississauga, ON, Canada, L4W 1H7

Telephone: 905-625-9117 (Mon. - Fri., 8 AM - 4 PM) Please direct all enquiries to Radiator Specialty.

Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

SUPER CONCENTRATE SC3, SC5, SC8, SC3C, SC5C, SC8C

MSDS Revision Date (mm/dd/yyyy): 07/27/2016 Page 8 of 8

MSDS Revision Date (mm/dd/yyyy)

: 07/27/2016

Revision No. : 4

Revision Information : (M)SDS sections updated

(M)SDS sections updated 12. ECOLOGICAL INFORMATION.

END OF DOCUMENT