Issue date: 03/04/2015 Revision Date: 03/04/2015

1 Identification

· Product identifier

· Trade name: Multipurpose Dye

B483206 483208

· Part number: 483206

· Application of the substance / the mixture Multipurpose Fluroescent Dye

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Uview Ultraviolet Systems Inc., division of, CPS Products Canada Ltd.

1324 Blundell Road

Mississauga, ON, L4Y 1M5

Canada

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

· Classification of the substance or mixture

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHŠ08

- · Signal word Danger
- · Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light naphthenic

· Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray If swallowed: Immediately call a poison center.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Additional information: For Professional Use Only
- Classification system:
 - · NFPA ratings (scale 0 4)



Health = 1 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1

Fire = 1

Reactivity = 0

(Contd. of page 1)

Safety Data Sheet acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 03/04/2015 Revision Date: 03/04/2015

Trade name: Multipurpose Dye

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
 - · Description: Mixture: consisting of the following components.
 - · Chemical components:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

50-<99.999%

4 First-aid measures

- · Description of first aid measures
 - · After inhalation: Supply fresh air; consult doctor in case of complaints.
 - · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- · After swallowing: DO NOT INDUCE VOMITING. Get immediate medical attention.
- · Information for doctor: Treat Systematically
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - · Indication of any immediate medical attention and special treatment needed
 Symptoms of poisoning may even occur after several hours; therefore medical observation
 for at least 48 hours after the accident.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 - · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture See section 10 for additional information.
- · Advice for firefighters
 - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing. Ventilate area if spilled in a confined space or other poorly ventilated area.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Issue date: 03/04/2015 Revision Date: 03/04/2015

Trade name: Multipurpose Dye

· Methods and material for containment and cleaning up:

(Contd. of page 2)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
 - · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

Information about storage in one common storage facility:

Store only in the original receptacle.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic (50-<99.9%)

ACGIH TLV STEL: 5 mg/m³ TWA: 10 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Other Exposure Limits

Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.

- · Exposure controls
 - · Personal protective equipment:
 - General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

The usual precautionary measures for handling chemicals should be followed.

Do not expose to excessive heat, ignition sources.

· Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Chemical resistant protective gloves

(Contd. on page 4)

Issue date: 03/04/2015 Revision Date: 03/04/2015

Trade name: Multipurpose Dye

· Eye protection:

(Contd. of page 3)



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical propert	iles		
· Information on basic physical and ch	nemical properties		
· General Information			
· Appearance: · Form:	l in the		
· Color:	Liquid Dark brown		
· Odor:	Petrol-like		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
· Melting point/Melting range:	Undetermined.		
· Boiling point/Boiling range:	Undetermined.		
· Flash point:	> 100 °C (> 212 °F)		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:			
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
· Lower:	Not determined.		
· Upper:	Not determined.		
Vapor pressure:	Not determined.		
Density at 20 °C (68 °F):	0.88 g/cm³ (7.344 lbs/gal)		
Relative density	Not determined.		
· Vapour density · Evaporation rate	Not determined. Not determined.		
Solubility in / Miscibility with			
· Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
· Dynamic:	Not determined.		
· Kinematic at 40 °C (104 °F):	9.09 mm²/s		
Solvent content:	0.0 %		
· Organic solvents:	0.0 % No further relevant information available.		
Other information	no further relevant information available.		

Issue date: 03/04/2015 Revision Date: 03/04/2015

Trade name: Multipurpose Dye

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity
 - · Chemical stability
 - Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- · Incompatible materials: May react with strong oxidizing materials.
- Hazardous decomposition products:

Smoke, carbon monoxide, carbon dioxide and other products of incomplete combustion.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

·L	D/LC5	0 values that are relevant for classification:
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

- · Primary irritant effect:
 - · on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

- on the eye: mild irritant
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
 - · Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
 - Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.

(Contd. on page 6)

Issue date: 03/04/2015 Revision Date: 03/04/2015

Trade name: Multipurpose Dye

· Other adverse effects No further relevant information available.

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, IMDG, IATA	Not Regulated	
Environmental hazards: · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Sara
 - Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

- · Proposition 65
 - · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)

Issue date: 03/04/2015 Revision Date: 03/04/2015

Trade name: Multipurpose Dye

(Contd. of page 6)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light naphthenic

· Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

If swallowed: Immediately call a poison center.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Asp. Tox. 1: Aspiration hazard, Hazard Category 1