



Stock Number: PL0D53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

1 Identification

Product Identifier:

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC

GF-6A 12/1QT

Stock Number:

PLOD53PL

AS-530-1

Other means of identification:

Synonyms:

No data available

Recommended use and restrictions on use:

Recommended use:

Motor Oil

Restrictions on use:

Uses other than those described above

Initial Supplier Identifier:

Warren Distribution, Inc. 950 S. 10th St., Suite 300

Omaha, NE 68108-3296

Tel No.:

+01 (800) 825-1235

+01 (402) 341-9397

Email:

sds@wd-wpp.com

Emergency telephone number and any

restrictions on the use of that number,

if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements:

Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

classified

None known.

Health hazards not otherwise classified

None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Distillates, petroleum, solvent-dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1
Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated	No data available	EPA-ACC-17799	0.5 - 1.5



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

> Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	7 - 13
Lubricating oils (petroleum), C20-50,	No data available	72623-87-1	65 - 85
hydrotreated neutral oil-based		**	

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Flush eyes with plenty of water for at least 20 minutes retracting eyelids Eye contact:

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Wash with soap and water. Get medical attention if irritation develops or **Skin Contact:**

persists.

No hazard in normal industrial use. Do not induce vomiting. Seek medical Ingestion:

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and

effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting Suitable extinguishing media:

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Material may be ignited only if preheated to temperatures above the Specific hazards arising from the

high flash point, for example in a fire. hazardous product, such as the nature of any hazardous combustion:

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, **Hazardous Combustion Products:**

oxides of phosphorus, Hydrogen sulfide

Do not enter fire area without proper protection including self- contained Special protective equipment and breathing apparatus and full protective equipment. Use methods for the precautions for firefighters:

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations



Stock Number:

PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Methods and materials for containment and cleaning up:

found in Section 8 of this SDS.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Strong oxidizing agents

Incompatibility:

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada - Alberta - Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	No data available	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic			

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada - Ontario - Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Lubricating oils (petroleum), C20-	5 mg/m3 TWA	No data available	No data available



Stock Number: PL0D53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

PROPEL FULL SYNTHETIC S	AE 5W-30 MOTOR O	OIL DEXOS API SP, ILSA	AC GF-6A 12/1Q1
50, hydrotreated neutral oil-			
based	·		
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	5 mg/m3 TWA	No data available	No data available
dewaxed heavy paraffinic			
Canada – Quebec – Occupational Expo	osure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
,	TWAEVs	STEVs	Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	No data available	No data available	No data available
Petroleum distillates,	No data available	No data available	No data available
hydrotreated heavy paraffinic			
Distillates, petroleum, solvent-	No data available	No data available	No data available
dewaxed heavy paraffinic		-	
Canada – Saskatchewan – Occupation	al Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
·	TWAs	STELs	Ceiling
Lubricating oils (petroleum), C20- 50, hydrotreated neutral oil- based	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic	-		
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic			
Canada - Yukon — Occupational Expos	ure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Lubricating oils (petroleum), C20-	5 mg/m3 TWA	10 mg/m3 STEL	No data available
50, hydrotreated neutral oil-	<u>-</u>		
based			
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
· · · · · · · · · · · · · · · · · · ·			<u> </u>
nydrotreated neavy paraminic i			
hydrotreated heavy paraffinic Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

> Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

	* *			
Lubricating oils (petroleum), C20-	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
50, hydrotreated neutral oil-based				
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the

preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s):

None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection:

Wear safety glasses when handling this product if there is a likelihood of

contact with eves.

Skin Protection:

Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Hand protection:

Nitrile, Neoprene

General hygiene conditions:

No data available

9 Physical and chemical properties

Physical state:

Liquid

Colour:

Amber

Odour:

Mild Petroleum

Odour threshold:

Not determined

:Hq

No data available

Melting point (°C):

No data available

Freezing point (°C):

No data available No data available

Initial boiling point and boiling range

(°C):

227

Flash point (°C):

No data available

Evaporation rate: Flammability, in the case of solids and

No data available

Upper flammable or explosive limit, %

Not established

in air:



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Lower flammable or explosive limit, %

Not established

in air:

No data available

Vapour pressure: Vapour density:

No data available

Relative density:

0.85

Solubility:

0.65

Partition coefficient - n-

Insoluble

octanol/water:

No data available

Auto-ignition temperature (°C):

No data available

Decomposition temperature (°C):

Not determined

Viscosity:

59.5

10 Stability and reactivity

Reactivity:

There are no known reactivity hazards associated with this product.

Chemical stability:

Stable under normal conditions.

Possibility of hazardous reactions:

None expected under standard conditions of storage.

Conditions to avoid, including static

Temperatures above the high flash point of this combustible material in

discharge, shock or vibration:

combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials:

Strong oxidizing agents

Hazardous decomposition products:

Carbon monoxide Sulfur containing gases Nitrogen containing gases

oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of

exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Immediate effects from short term exposure:

Inhalation:

Likely to be practically non-toxic based on animal data. No hazard in

normal industrial use.

Skin Contact:

This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact:

This material is likely to be non-irritating to eyes based on animal data.

Ingestion:

Estimated to be > 5.0 g/kg. No hazard in normal industrial use.



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Skin Contact:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Upon prolonged or repeated contact, can cause minor skin irritation,

defatting, and dermatitis.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability:

Biodegrades slowly.

Bioaccumulative potential:

Bioconcentration may occur.

Mobility in soil:

This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects:

None known.



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

Spent or discarded material is non-hazardous according to environmental

regulations.

including any contaminated packaging:

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number:

Not regulated for road transport

UN Proper shipping name:

Not applicable

Transport hazard class(es):

Not applicable

Packing group:

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number:

Not regulated by IMDG

UN Proper shipping name: Transport hazard class(es):

Not applicable Not applicable

Transport hazard class(es): Packing group:

Not applicable

International carriage of dangerous goods by air (IATA):

UN number:

Not regulated by IATA

UN Proper shipping name:

Not applicable

Transport hazard class(es):

Not applicable

Packing group:

Not applicable

Environmental hazards according to the

No

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II

No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of

1973, as modified by the Protoc

1978 (MARPOL 73/78) and the

International Code for the Construction

and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with

No data available

transport or conveyance either within

or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question:



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Yes
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	No	No	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No ,	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Lubricating oils	72623-87-1	No	No	No	No	No



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

(petroleum), C20-50, hydrotreated neutral oil-						
based						
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in **International Trade:**

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade .
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No



Stock Number: PLOD53PL

Date of the latest revision of the safety data sheet: 23-06-2020

Supercedes: 12-05-2020

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT

Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04/42-05-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

16 Other information

Date of the latest revision of the safety

23-06-2020

data sheet:

Revision Number:

Reason for revision:

NEW VERSION

PROPEL FULL SYNTHETIC SAE 5W-30 MOTOR OIL DEXOS API SP, ILSAC GF-6A 12/1QT



Stock Number: PLO

PLOD53PL

Date of the latest revision of the safety data sheet:

23-06-2020

Supercedes: 12-05-2020

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.