

Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

1 Identification

Product Identifier: PROPEL TO-4 SAE 50 FLD 5

Stock Number: PL07505G TO4-50-20

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Hydraulic Oil

Restrictions on use:Uses other than those described above

Initial Supplier Identifier: Warren Distribution, Inc.

950 S. 10th St., Suite 300 Omaha, NE 68108-3296

Tel No.: +01 (800) 825-1235 +01 (402) 341-9397

Email: sds@wd-wpp.com

Emergency telephone number and any restrictions on the use of that number

restrictions on the use of that number, if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, hydrotreated light paraffinic	No data available	64742-55-8	0.1 - 1
Distillates, petroleum, solvent-dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1
Highly refined synthetic base stocks	No data available	64742-54-7	1 - 5



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	30 - 60
Residual oils (petroleum), solvent dewaxed	No data available	64742-62-7	30 - 60

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: Use eye wash to remove a chemical from the eye. Flush the affected eye

for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if

irritation persists.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and offects, whether acute or delayed:

effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the hazardous product, such as the nature

of any hazardous combustion:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous Combustion Products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and

precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective

No health affects expected from the clean up of this material if contact



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

equipment and emergency procedures: can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment

and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Conditions for safe storage:

Materials to Avoid/Chemical

Incompatibility:

Mildly irritating material. Avoid unnecessary exposure.

Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Highly refined synthetic base stocks	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Distillates, petroleum, solvent-	No data available	No data available	No data available



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

dewaxed heavy paraffinic	

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	No data available	No data available	No data available
Highly refined synthetic base stocks	No data available	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Highly refined synthetic base stocks	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
heavy paraffinic	5 / O.T.A/A	5 / O.T.A/A	40 / 0.0751	N
Highly refined synthetic base stocks	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent-	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
dewaxed heavy paraffinic				

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:



Respirator Type(s):

Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile
General hygiene conditions: No data available

9 Physical and chemical properties

Physical state:LiquidColour:BrownOdour:Mild

Odour threshold:

PH:

No data available

Melting point (°C):

No data available

(°C):

Flash point (°C): 218

Evaporation rate:No data available **Flammability, in the case of solids and**No data available

gases:

Upper flammable or explosive limit, % Not established

in air:

Lower flammable or explosive limit, %

in air:

Vapour pressure:No data availableVapour density:No data available

Relative density: 0.89
Solubility: Negligible: 0-1%

Solubility: Negligible; 0-1% **Partition coefficient — n-octanol/water:** No data available

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 234.8

Not established



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

> Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static

Temperatures above the high flash point of this combustible material in discharge, shock or vibration: combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents

Carbon monoxide Sulfur containing gases Nitrogen containing gases Hazardous decomposition products:

oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

Eye contact, Skin contact, Ingestion, Inhalation

None known.

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation,

defatting, and dermatitis.

Upon prolonged or repeated exposure, no hazard in normal industrial **Skin Absorption:**

use.

Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: **Aspiration hazard:** Based on available data, the classification criteria are not met.



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates,	64742-55-8	EC50 (48h) Daphnia	No data available	LC50 (96h)
hydrotreated light paraffinic		magna > 1000 mg/L		Rainbow Trout >
				5000 mg/L
Distillates, petroleum,	64742-65-0	EC50 (48h) Daphnia	No data available	LC50 (96h)
solvent-dewaxed heavy		magna > 1000 mg/L		Rainbow Trout >
paraffinic				5000 mg/L
Highly refined synthetic	64742-54-7	EC50 (48h) Daphnia	No data available	LC50 (96h)
base stocks		magna > 1000 mg/L		Rainbow Trout >
				5000 mg/L
Petroleum distillates,	64742-54-7	EC50 (48h) Daphnia	No data available	LC50 (96h)
hydrotreated heavy		magna > 1000 mg/L		Rainbow Trout >
paraffinic				5000 mg/L
Residual oils (petroleum),	64742-62-7	EC50 (48h) Daphnia	No data available	LC50 (96h)
solvent dewaxed		magna > 1000 mg/L		Rainbow Trout >
				5000 mg/L

Persistence and degradability:Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name: Not applicable



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Not applicable

Not applicable

UN number:Not regulated by IATA

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

Environmental hazards according to the No

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with transport or conveyance either within

or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	nemical Name CAS No			
Residual oils (petroleum), solvent	64742-62-7	Yes		
dewaxed	04/42-02-7	163		
Petroleum distillates, hydrotreated	64742-54-7	Yes		
heavy paraffinic	04/42-54-7	res		
Highly refined synthetic base stocks	64742-54-7	Yes		
Distillates, petroleum, solvent-dewaxed	64742-65-0	Yes		



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

heavy paraffinic		
Petroleum distillates, hydrotreated light	64742-55-8	Yes
paraffinic		

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
Highly refined synthetic base stocks	64742-54-7	No	No	No	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No	No	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No	No



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Petroleum distillates,						
hydrotreated heavy	64742-54-7	No	No	No	No	No
paraffinic						
Highly refined synthetic	64742-54-7	No	No	No	No	No
base stocks	04742-34-7	NO	INO	INO	INO	INO
Distillates, petroleum,						
solvent-dewaxed heavy	64742-65-0	No	No	No	No	No
paraffinic						
Petroleum distillates,						
hydrotreated light	64742-55-8	No	No	No	No	No
paraffinic						

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Highly refined synthetic base stocks	64742-54-7	No	No	No	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No	No	No	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Residual oils (petroleum), solvent dewaxed	64742-62-7	No



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	INO
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04742-03-0	INO
Petroleum distillates, hydrotreated	64742-55-8	No
light paraffinic	04742-55-8	INO

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Residual oils (petroleum), solvent dewaxed	64742-62-7	No



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04742-00-0	NO
Petroleum distillates, hydrotreated	64742-55-8	No
light paraffinic	04742-55-6	INO

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed	04742 02 7	
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-54-7	INO
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04/42-00-0	INO
Petroleum distillates, hydrotreated	64742-55-8	No
light paraffinic	04/42-33-6	INO



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer	
Residual oils (petroleum), solvent	64742-62-7	No	
dewaxed			
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04742-34-7	INO	
Highly refined synthetic base stocks	64742-54-7	No	
Distillates, petroleum, solvent-	64742-65-0	No	
dewaxed heavy paraffinic	04742-00-0	INO	
Petroleum distillates, hydrotreated	64742-55-8	No	
light paraffinic	04742-33-6	NO	

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Highly refined synthetic base stocks	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	No

16 Other information

Date of the latest revision of the safety

21-06-2020

data sheet:

Revision Number:

21

Reason for revision: Activated by Document Formulation Generation

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to



Stock Number: PL07505G

Date of the latest revision of the safety data sheet: 21-06-2020

Supercedes: 12-05-2020

PROPEL TO-4 SAE 50 FLD 5

comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.