

Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

PROPEL AW ISO 32 HYD 330

1 Identification

Product Identifier: PROPEL AW ISO 32 HYD 330

Stock Number: PL5232I3 HAW-32-TOTE

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

**Recommended use:** Hydraulic Oil

**Restrictions on use:** Uses other than those described above

**Initial Supplier Identifier:** Warren Distribution, Inc.

950 S. 10th St., Suite 300 Omaha, NE 68108-3296

**Tel No.:** +01 (800) 825-1235 +01 (402) 341-9397

**Email:** sds@wd-wpp.com

Emergency telephone number and any restrictions on the use of that number,

if applicable:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

**Hazard statements:** Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

classified

None known.

**Health hazards not otherwise classified** None known.

#### 3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	30 - 60

#### 4 First-aid measures



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

> Supercedes: 02-06-2020

#### PROPEL AW ISO 32 HYD 330

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and

effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

#### 5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

No data available Unsuitable extinguishing media:

Specific hazards arising from the

hazardous product, such as the nature

of any hazardous combustion: **Hazardous Combustion Products:** 

Special protective equipment and

precautions for firefighters:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases

Do not enter fire area without proper protection including self- contained

breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

#### 6 Accidental release measures

Personal precautions, protective

equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment

and cleaning up:

Incompatibility:

No special spill clean up considerations. Collect and discard in regular

trash.

#### 7 Handling and storage

Precautions for safe handling: Conditions for safe storage: Materials to Avoid/Chemical

Mildly irritating material. Avoid unnecessary exposure.

Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

### PROPEL AW ISO 32 HYD 330

### 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

#### Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

#### Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	0.2 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic	(mildly refined); 1		
	mg/m3 TWA (severely		
	refined)		

#### **Canada – Manitoba – Occupational Exposure Limits:**

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available

#### **Canada – New Brunswick – Occupational Exposure Limits:**

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

#### Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available

#### Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -



hydrotreated heavy paraffinic

Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

### PROPEL AW ISO 32 HYD 330

	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Canada – Nova Scotia – Occupationa	al Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Canada – Nunavut – Occupational E	xposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			
Canada – Ontario – Occupational Ex	posure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Canada – Prince Edward Island – Oc	cupational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			
Canada – Quebec – Occupational Ex	posure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
Petroleum distillates,	No data available	No data available	No data available
hydrotreated heavy paraffinic			
Canada – Saskatchewan – Occupatio	onal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
	1	I .	1



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

#### PROPEL AW ISO 32 HYD 330

#### Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
heavy paraffinic				

**Appropriate engineering controls:** Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

None required where adequate ventilation is provided. If airborne

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye and face protection:** Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

**Skin Protection:** Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

**Hand protection:** Neoprene, Nitrile **General hygiene conditions:** No data available

#### 9 Physical and chemical properties

Physical state:LiquidColour:AmberOdour:Mild

Odour threshold:

PH:

No data available

Melting point (°C):

No data available

(°C):

Flash point (°C): 226

**Evaporation rate:**No data available **Flammability, in the case of solids and**No data available



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

#### PROPEL AW ISO 32 HYD 330

gases:

Upper flammable or explosive limit, %

Not established

in air

Lower flammable or explosive limit, %

Not established

in air:

Vapour pressure:No data availableVapour density:No data available

Relative density: 0.86

**Solubility:** Negligible; 0-1% **Partition coefficient — n-octanol/water:** No data available

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 31.71

10 Stability and reactivity

**Reactivity:** There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

**Conditions to avoid, including static**Temperatures above the high flash point of this combustible material in

**discharge**, **shock or vibration**: combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Strong oxidizing agents

**Hazardous decomposition products:** Carbon monoxide Hydrogen sulfide Nitrogen containing gases

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Immediate effects from short term exposure:

**Inhalation:** Likely to be practically non-toxic based on animal data. No hazard in

normal industrial use.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

**Ingestion:** Estimated to be > 5.0 g/kg. No hazard in normal industrial use.



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

#### **PROPEL AW ISO 32 HYD 330**

Delayed and chronic effects from long term exposure:

**Carcinogenicity:** Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive and Developmental** 

Toxicity:

Mutagenicity:

Skin Contact:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Upon prolonged or repeated contact, can cause minor skin irritation,

defatting, and dermatitis.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

**Numerical measures of toxicity, including ATEs** Based on available data, the classification criteria are not met.

#### 12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Moderate ecological hazard. This product may be dangerous to plants

and/or wildlife.

#### **Ecological Toxicity Data:**

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
2,6-Di-tert-butylphenol	128-39-2	EC50 (48h) Daphnia magna 0.45 mg/L	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L		LC50 (96h) Rainbow Trout > 5000 mg/L

**Persistence and degradability:** Biodegrades slowly.

**Bioaccumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

#### 13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

> Supercedes: 02-06-2020

#### PROPEL AW ISO 32 HYD 330

#### 14 Transport information

Transportation of Dangerous Goods by land (TDG):

**UN number:** Not regulated for road transport

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Environmental hazards according to the No

**International Maritime Dangerous Goods Code and the United Nations** 

**Model Regulations:** 

Transport in bulk (according to Annex II No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the

International Code for the Construction

and Equipment of Ships carrying

**Dangerous Chemicals in Bulk (IBC** 

Code)):

Special precautions in connection with

transport or conveyance either within

or outside the premises:

No data available

#### 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated	64742-54-7	Yes



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

### PROPEL AW ISO 32 HYD 330

heavy paraffinic		
------------------	--	--

#### Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

#### **Canada - Controlled Drugs and Substances:**

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No	No	No	No	No	No	No
paraffinic								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates,						
hydrotreated heavy	64742-54-7	No	No	No	No	No
paraffinic						

#### Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates,					
hydrotreated heavy	64742-54-7	No	No	No	No
paraffinic					

#### Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

#### Canada - Narcotic Control Regulations (C.R.C., c. 1041):



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

**Supercedes:** 02-06-2020

### PROPEL AW ISO 32 HYD 330

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

### Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

#### **Stockholm Convention on Persistent Organic Pollutants:**

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

# Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

#### (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

### Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:



Stock Number: PL5232I3

Date of the latest revision of the safety data sheet: 21-06-2020

> Supercedes: 02-06-2020

#### **PROPEL AW ISO 32 HYD 330**

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

21-06-2020

24

#### 16 Other information

Date of the latest revision of the safety

data sheet:

**Revision Number:** 

Reason for revision:

Activated by Document Formulation Generation

Disclaimer: This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.