

SAFETY DATA SHEET

186-021

Issuing Date 03-May-2007

Revision Date 24-May-2015

Revision Number 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name

Mothers California Gold Metal Polish

Other means of identification

Product Code(s)

05112, 35112

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Car care

Uses advised against

No information available

Supplier's details

Supplier Address
MOTHERS POLISHES WAXES CLEANERS
5456 Industrial Drive
Huntington Beach, CA 92649
TEL: 714-891-3364
FAX: 714-893-1827

Emergency telephone number

Emergency Telephone

Number

Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word

None

The product contains no substances which at their given concentration are considered to be hazardous to health

Appearance White Physical State Liquid. Odor Pine

Precautionary Statements

Prevention

None

General Advice

None

Storage

None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

23.21972% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	10-25	*
Aluminum oxide	1344-28-1	15-40	. *
Tall oil fatty acids	61790-12-3	<10	
Triethanolamine	102-71-6	<10	
2-Butoxyethanol	111-76-2	<10	*
Pine Oil	8002-09-3	<10	· · · · · ·

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin Contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion

Drink plenty of water. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Consult a physician if necessary

Protection of First-aiders

For personal protection see Section 8

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Aspiration into lungs can produce severe lung damage

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u>

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with eyes. Refer to Section 8 for personal protective equipment, Ensure

trained personnel conduct clean up.

Environmental Precautions

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Dam up. Soak up with inert absorbent material. Clean contaminated surface thoroughly.

Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a cool, well-ventilated place.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m³ STEL: 10 mg/m³ (as oil mist)	TWA: 5 mg/m³ (as oil mist)	-
Aluminum oxide 1344-28-1 TWA: 1 mg/m³ respirable fraction 1344-28-1 TWA: 5 mg/m³ total dust TWA: 5 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction			
Tall oil fatty acids 61790-12-3	5 mg/m³ (resp) 10 mg/m³ STEL (resp)	5 mg/m³ (resp)	•
Triethanolamine 102-71-6	TWA: 5 mg/m³	-	<u>-</u>
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin and Body Protection

Protective gloves.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor

Liquid. Pine.

Appearance Odor Threshold White.

No information available.

Property

<u>Values</u>

Remarks/ - Method None known

рΗ Melting Point/Range

8.0 No data available

75 °C

None known None known

Boiling Point/Boiling Range Flash Point Evaporation rate

> 105 °C / > 221.3 °F No data available

No data available

None known None known None known

Flammability (solid, gas) Flammability Limits in Air

upper flammability limit No data available

lower flammability limit Vapor Pressure Vapor Density **Specific Gravity**

No data available No data available No data available

None known None known None known

Water Solubility Solubility in other solvents Partition coefficient: n-octanol/waterNo data available

No data available No data available

No data available

None known None known None known

Autoignition Temperature Decomposition Temperature Viscosity

No data available 3200 cps

None known None known None known

Flammable Properties

Not flammable

Explosive Properties Oxidizing Properties

No data available No data available

Other information

VOC Content (%)

<30

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Ingestion

Avoid breathing vapors or mists. Inhalation of mist may cause irritation to the respiratory

Eye Contact Skin Contact

Contact with eyes may cause irritation.

Prolonged or repeated contact may dry skin and cause irritation.

There is no data available for this product.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Aluminum oxide	> 5000 mg/kg (Rat)	-	
Tall oil fatty acids	= 7600 mg/kg (Rat)	-	
Triethanolamine	= 4190 mg/kg (Rat)	> 2000 mg/kg (Rabbit) > 16 mL/kg (Rat)	<u>-</u>
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h
Pine Oil	= 3200 mg/kg (Rat)	= 5 g/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA ·
Triethanolamine		Group 3		
2-Butoxyethanol	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to its Carcinogenicity to Humans Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure

No information available. No information available. No information available.

Chronic Toxicity

Avoid repeated exposure. Repeated contact may cause allergic reactions in very

susceptible persons. Intentional misuse by deliberately concentrating and inhaling contents

may be harmful or fatal

Target Organ Effects
Aspiration Hazard

Respiratory system. Eyes. Skin. No information available.

Numerical measures of toxicity - Product

Acute Toxicity

23.21972% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral LD50 Dermal Inhalation

13871 mg/kg; Acute toxicity estimate 38044 mg/kg; Acute toxicity estimate

gas

gas

172756

dust/mist57.6 mg/L; Acute toxicity estimateVapor422 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)	
Petroleum distillates, hydrotreated light 64742-47-8		LC50 96 h: = 45 mg/L flow-through (Pimephales promelas) LC50 96 h: = 2.2 mg/L static (Lepomis macrochirus) LC50 96 h: = 2.4 mg/L static (Oncorhynchus mykiss)		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)	
2-Butoxyethanot 111-76-2	· · · · · · · · · · · · · · · · · · ·	LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)	
Pine Oil 8002-09-3				EC50 48 h: 17 - 28 mg/l Flow through (Daphnia magna)	

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Tall oil fatty acids	5.98
Triethanolamine	-2.53
2-Butoxyethanol	0.81

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations.

Contaminated Packaging

Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

14 TRANSPORT INFORMATION

DOT

Not regulated,

TDG Not regulated.

MEX Not regulated.

ICAO Not regulated.

IATA Not regulated.

IMDG/IMO Not regulated.

RID Not regulated.

ADR Not regulated.

ADN Not regulated.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
EINECS Complies
ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No Weight % SARA		SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	<10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

- 1						
- 1	Chemical Name	New Jersev	Massachusetts	Pennsylvania	Illinois	Rhode Island
- 1	Officialism Hallis	Hew Delacy		reillisylvailla	HILLIOIS	Rhode Island

Aluminum oxide	X	X	Х		Х
Triethanolamine	Х	Х	Х		X
2-Butoxyethanol	X	Х	Х	X	X
Pine Oil	Х				

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Proposed Dy	.	Ot	,	
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Hazards N/A Personal Protection B
NFPA_	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical
radara (militaria)		16. OTHER INFORM	MATION	

Issuing Date Revision Date Revision Note

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 03-May-2007 24-May-2015

Update to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet