500-022



PURELL® Instant Hand Sanitizer

Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

SECTION 1. IDENTIFICATION

Product name

: PURELL® Instant Hand Sanitizer

215GCN

Manufacturer or supplier's details

Company name of supplier

: GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron, Ohio, 44311

Telephone

1 (330) 255-6000

Emergency telephone num-

CHEMTREC 1-800-424-9300

ber

CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use

: Hand Sanitizer

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids

Category 3

instruction sheet.

Eye irritation

Category 2A

GHS label elements

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

Hazard pictograms



Signal word

Warning

Hazard statements

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethyl Alcohol	64-17-5	>= 50 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled

If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact

Wash with water and soap as a precaution.

Get medical attention if irritation develops and persists.

In case of eye contact

In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed

If swallowed, DO NOT induce vomiting.

Rinse mouth with water. Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Protection of first-aiders

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

Flash back possible over considerable distance.

May form explosive mixtures in air.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Further information

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

PURELL® Instant Hand Sanitizer



Version

1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

Environmental precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

For personal protection see section 8.

Keep away from heat.

Use with local exhaust ventilation.

Avoid contact with eyes.

Conditions for safe storage

Take measures to prevent the build up of electrostatic charge.

Keep in properly labelled containers.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,880 mg/m3	CA QC OEL
	1	STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm 492 mg/m3	CA AB OEL
		STEL	400 ppm 984 mg/m3	CA AB OEL





Version 1.1

Revision Date: 02/16/2018

SDS Number: 40000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

TWA	200 ppm	CA BC OEL
STEL	400 ppm	CA BC OEL
TWAEV	400 ppm 983 mg/m3	CA QC OEL
STEV	500 ppm 1,230 mg/m3	CA QC OEL
TWA	200 ppm	ACGIH
STEL	400 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection

No personal respiratory protective equipment normally re-

quired

Hand protection

Remarks

: No special protective equipment required.

Eye protection

: Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection

No special measures necessary provided product is used

correctly.

Protective measures

: Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Colour

: clear, colourless, light yellow

Odour

: citrus

Odour Threshold

: No data available

рΗ

6.0 - 9.2 (20 °C)

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

Melting point/freezing point

No data available

Initial boiling point and boiling

No data available

range

Flash point

25.00 °C

Evaporation rate

No data available

Flammability (solid, gas)

Not applicable

Upper explosion limit

No data available

Lower explosion limit

No data available

Vapour pressure

Relative vapour density

No data available

No data available

Density

0.8933 g/cm3

Solubility(ies)

Water solubility

soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature

No data available

Decomposition temperature

The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

1000 - 35000 mm2/s (20 °C)

Explosive properties

Not explosive

Oxidizing properties

The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not classified as a reactivity hazard.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reac- :

tions

Vapours may form explosive mixture with air.

Heat, flames and sparks.

Incompatible materials

Conditions to avoid

Strong oxidizing agents

Flammable solids

Self-reactive substances and mixtures

Water-reactive substances

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

LC50 (Rat): 124.7 mg/l Exposure time: 4 h

Test atmosphere: vapour

Isopropyl Alcohol:

Acute oral toxicity

LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour

Acute dermal toxicity

LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

isopropyl Alcohol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Isopropyl Alcohol:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:

Species: Rat

Application Route: inhalation (vapour)

Exposure time: 104 weeks
Method: OECD Test Guideline 451

Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Isopropyl Alcohol:

Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol:

Species: Rat

NOAEL: 2,400 mg/kg Application Route: Ingestion

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469 Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapour)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae

: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria

EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Isopropyl Alcohol:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to bacteria

EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Ethyl Alcohol:

Biodegradability

Result: Readily biodegradable.

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469 Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

Biodegradation: 84 % Exposure time: 20 d

Isopropyl Alcohol:

Biodegradability

Result: rapidly degradable

Bioaccumulative potential

Components:

Ethyl Alcohol:

Partition coefficient: noctanol/water

log Pow: -0.35

Isopropyl Alcohol:

Partition coefficient: n-

octanol/water

: log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose of as unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No.

UN 1987

Proper shipping name

Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class

Packing group

3 III

Packing instruction (cargo

366

aircraft)

Packing instruction (passen-

355

ger aircraft)

IMDG-Code

UN number

UN 1987

Proper shipping name

ALCOHOLS, N.O.S.



PURELL® Instant Hand Sanitizer

Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

3

Ш

3

no

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

(Ethanol, Propan-2-ol)

Class Packing group Labels

EmS Code Marine pollutant

National Regulations

TDG

UN number

UN 1987

no

F-E, S-D

Proper shipping name

Marine pollutant

ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)

111 Packing group Labels 3 **ERG Code** 127

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TSCA

On TSCA Inventory

AICS

On the inventory, or in compliance with the inventory

DSL

On the inventory, or in compliance with the inventory

ENCS

On the inventory, or in compliance with the inventory

ISHL

On the inventory, or in compliance with the inventory

KECI

On the inventory, or in compliance with the inventory

PICCS

On the inventory, or in compliance with the inventory

IECSC

On the inventory, or in compliance with the inventory

NZIoC

On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan);

PURELL® Instant Hand Sanitizer



Version 1.1

Revision Date: 02/16/2018

SDS Number: 400000000469

Date of last issue: 01/31/2017 Date of first issue: 01/31/2017

ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

Revision Date : 02/16/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN