

Revision Date: Apr. 10, 2018

Revision Number: 4



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name

ABC SUPER 90 DRY CHEMICAL

Other means of identification

Synonyms

Multi-purpose Dry Chemical

Recommended use of the chemical and restrictions on use

Recommended Use

Fire Suppression

Uses advised against

Not for human or animal drug use

Details of the Supplier of the Safety Data Sheet

Extinguisher Manufacturer

STRIKE FIRST CORPORATION

777 Tapscott Rd. Toronto Ontario

M1X 1A2

Contact Information

Phone: (416) 299-7767

Fax: (416) 299-8039

Email: info@strike-first.com

Chemical Supplier Name

STEEL FIRE EQUIPMENT LTD.

Supplier Address

150 SUPERIOR BLVD. MISSISAUGA ON

L52 2L2 CANADA

Supplier Contact Numbers

Phone: (905) 564-1500 Fax: (905) 564-0008

Email: sales@steelfire.com

Emergency Telephone Number

CHEMTREC 1-800-424-9300 or

(703) 527-3887

2. HAZARDS IDENTIFICATION

This SDS covers the products as sold in pressurized and non-pressurized containers. GHS classifications for both are listed below.

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Hazard Symbol	Signal Word	Hazard Statement
	Warning	Contents under pressure, may explode if heated
	Warning	May cause skin, eye or respiratory irritation

Emergency Overview

The product contains no substances which at their concentration, are considered to be hazardous to health.

Appearance Light Yellow	Physical State	Powder(s) Solid		Odor	Odorless
Precautionary Statements	- Prevention		,		

None - Trevent

Precautionary Statements - Response
None

Precautionary Statements - Storage
None

Precautionary Statements - Disposal
None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

1.2% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Maybe harmful if swallowed May cause slight eye irritation

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

MULTI-PURPOSE DRY CHEMICAL

Chemical Name	CAS No	Weight - %	Trade Secret
Ammonium Sulfate	7783-20-2	1-5	*
Fullers Earth	8031-18-3	1 – 5	*
Mica	12001-26-2	1 – 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms

persist, call a physician.

Skin contact

Wash with soap and water.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by

mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms

and Effects

No information available.

Indication of any immediate medical attention and special treatment if needed

Notes to Physician

Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Uniform Fire Code

COMBUSTIBLE DUST/POWDER

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Revision Date: Apr. 10, 2018

Revision Number: 4

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHS/NIOSH (approved p or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 & 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Avoid generation of dust. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Pick up and transfer to properly labeled containers. After cleaning flush away traces of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes, or clothing. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage

Keep container tightly closed. Keep/store only in original container.

Incompatible Products

Strong oxidizing agents. Strong acids. Chlorinated compounds. Sodium

hypochlorite.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

·			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mica	TWA: 3 mg/m ³	TWA: 20mppcf (<1%	IDLH: 1500mg/m ³
12001-26-2		crystalline silica)	containing <1% quartz
		3 mg/m ³ (vacated)	TWA: 3 mg/m ³ respirable
			dust

ACGIH TLV: American Conference of Government Industrial Hygienist – Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration – Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shield (or goggles).

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

No protective equipment is needed under normal conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required. Effective dust mask.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state

Powder (s) Light Yellow

Odor

Odorless

Appearance Color

Light Yellow

Odor Threshold

No information available

Property

Values 4 – 5 190 C

Remarks Method None known

Melting / Freezing point Boiling point /boiling range

No data available No data available None known None known None known

Flash point **Evaporation rate** Flammability (solid, gas)

No data available No data available

None known None known

Flammability limit in air

Upper flammability limit Not flammable

Lower flammability limit Vapor pressure

Not Flammable No data available

None known None known

Vapor density Specific gravity Water solubility

No data available 0.85 ·>33g/100ml

None known

Solubility in other solvents

No data available

None known None known

Partition coefficient: n-octanol/water

100 - 120 C

None known None known

Decomposition temperature Kinematic viscosity

No data available

None known

Dynamic viscosity

No data available No data available

Explosive properties **Oxidizing properties**

Revision Date: Apr. 10, 2018

Revision Number: 4

Other information

Softening point VOC content (%)

No data available No data available

Particle size

No data available

Particle size distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Chlorinated compounds. Sodium hypochlorite.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Potassium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact

Contact with eyes may cause irritation.

Skin contact

May cause irritation.

Ingestion

Specific test data for the substance or mixture is not available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Sulfate	= 2840mg/kg (Rat)	- ', '' '	•.
7783-20-2		e .	

Information on toxicological effects

Symptoms

No information available

Delayed and immediate effects as well as chronic effects from short and long term exposure

Sensitization

No information available.

Revision Date: Apr. 10, 2018

Revision Number: 4

Mutagenic Effects

No information available.

Carcinogenicity

Contains no ingredient listed as carcinogen.

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied. Carcinogenic potential is

unknown.

Target Organ Effects

None known.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

4,350.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effect

Chemical Name	Toxicity to	Toxicity to Fish	Toxicity to	Daphnia Magna
	Algae	:	microorganisms	(Water Flea)
Ammonium Sulfate		96h LC50: = 250mg/l		1
		(Brachydanio rerio) 96h		
·		LC50: = 480 mg/L		
		(Brachydanio rerio) 96h		
		LC50: = 32.2 - 41.2 mg/L		
·		(Oncorhynchus mykiss) 96h		
		LC50: = 18mg/L (Cyprinun	·	
		carpio) 96h LC50: =	· ·	
		420mg/L (Brachydanio rerio)		1
		96h LC50: 5.2 – 8.2mg/L		
		(Oncorhynchus mykiss) 96h		+
		LC50: =>100mg/L	·	
1	•	(Phimephales promelas) 96h		· .
		LC50: 122 – 128mg/L		
		(Poecilia reticulate) 96h		
		LC50: 460 - 1000mg/L		
		(Leiciscus idus)		

Persistence Degradability

Degrades rapidly in humid/wet environment.

Bioaccumulation

Revision Date: Apr. 10, 2018

Revision Number: 4

Chemical Name	Log Pow
Ammonium Sulfate	-5.1
7783-20-2	

Other adverse effects

No information available

13. DISPOSAL INFORMATION

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261. To determine whether the altered material is a hazardous waste. consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

14. TRANSPORTATION INFORMATION

DOT

NOT REGULATED

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

TDG

Not Regulated

MEX

Not Regulated

ICAO

Not Regulated

IATA

Not Regulated

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

IMDG/IMO

Not Regulated

Hazard Class

N/A

<u>IRD</u>

Not Regulated

ADR

Not Regulated

<u>ADN</u>

Not Regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, nontoxic

Revision Date: Apr. 10, 2018

Revision Number: 4

inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is Limited Quantity when shipped via highway or rail. Use a Non-Flammable Gas label (class 2.2) when shipping via air.

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight - %	SARA 313 – Threshold Values %
Ammonium Sulfate	7783-20-2	1 - 5	1.0

SARA 313/312 Hazard Categories

Acute Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release Hazard -*	Yes
Reactive Hazard	No

^{*-} Only applicable if material is in a pressurized extinguisher.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substance under the Comprehensive Environmental Response and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to release of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Butanamide, 2,2' -[3,3' -dichloro[1,1' -biphenyl]-4,4' -diyl - 5468-75-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Mono Ammonium Phosphate 7722-76-1				Х	
Ammonium Sulfate 7783-20-2		X	X	X	
Mica 12001-26-2	X	X	X		
Silica, amorphous, precipitated and gel 112926-00-8	Х	х	х		

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Mica 12001-26-2 (1 – 5)		Mexico: TWA=3 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not Determined

16. OTHER INFOMRATION

NFPA	Health Hazards	1	Flammability	0	Instability	0	Physical and Chemical Hazards – Personal Protection
HMIS	Health Hazards	1	Flammability	0	Instability	0	X.

Prepared By

Strike First Corporation


777 Tapscott Road Scarborough ON M1X 1A2 Canada

Revision Date

April 10, 2018

Revision Note

Remove harmful to aquatic life symbol



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of this publication. This information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

END OF SAFETY DATA SHEET