121-026



Ingestion

**Material Safety Data Sheet** 

NFPA	HMIS	WHMIS	TDG	DOT
Flammability Health 1 0 Instability Special	Health 1 Physical hazards 0 Suggested PPE E			

Product name	99208 & 99300 Doktor Doom D.E. Dust Insecticide							
Synonym	99208 & 99300 Doktor Doom D.E. Dust Insecticide	MSDS prepared by the 2/1/2017 Environment, Health & Safety Department on:						
Material uses	Insecticide	Version 0.01						
		In Case of Emergency						
MSDS Number	Item 99208 & 99300 (PCP 29411)	CANUTEC EMERGENCY #:1-613-996-6666(24HR)						
Manufacturer	753146 Alberta Ltd. o/a Ultrasol Industries 10755 69 Avenue NW Edmonton, AB T6H 2C9	For more information on Ultrasol Industries or our products, please go to: www.doktordoom.com						

2. Hazards Ider	ntification				
Physical state	Solid.				
OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.				
Potential acute health effe	ects				
Inhalation	May irritate the respiratory tract if inhaled.				
Ingestion	May be harmful if swallowed.				
Skin	May cause skin irritation.				
Eyes	May irritate the eyes upon contact.				
Potential chronic health e	ffects				
Chronic effects	No known significant effects or critical hazards.				
Carcinogenicity	No known significant effects or critical hazards.				
Mutagenicity	No known significant effects or critical hazards.				
Teratogenicity	No known significant effects or critical hazards.				
Developmental effects	No known significant effects or critical hazards.				
Fertility effects	No known significant effects or critical hazards.				
Over-exposure signs/sym	ptoms				
Inhalation	No specific data.				

No specific data.

### DR Doom D.E. Dust Insecticide

### 2. Hazards Identification

Skin

No specific data.

Eyes

No specific data.

Medical conditions

aggravated by over-

None known.

exposure

See toxicological information (Section 11)

## 3. Composition / Information on Ingredients

**United States** 

Name CAS number %

Silica, amorphous - diatomaceous earth 61790-53-2 60 - 100

<u>Canada</u>

Name CAS number %

Silica, amorphous - diatomaceous earth 61790-53-2 60 - 100

<u>Mexico</u> <u>Classification</u>

Name CAS number UN number % IDLH H E R Special

Silica, amorphous - 61790-53-2 Not 60 - 100 - 0 0

diatomaceous earth available.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First Aid Measures

Eye contact Check for and remove any contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical

attention if symptoms occur.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Get medical attention if symptoms occur.

Inhalation If inhalation occurs, remove individual(s) to fresh air. Loosen restrictive clothing items if

necessary. If individual has irregular or difficulty breathing or is under respiratory arrest seek medical attention immediately. If other conditions or symptoms develop contact a

physician.

Ingestion If ingestion occurs, rinse mouth with copious amounts of water. Do Not induce vomiting

unless directed to do so by trained medical personnel. Do Not give anything by mouth to

unconcious individuals. Seek immediate medical attention.

Protection of first-

aiders

No action shall be taken involving any personal risk or without suitable training.

Notes to physician 
No specific treatment. Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

## **Fire-fighting Measures**

Flammability of the

product

No specific fire or explosion hazard.

Extinguishing media

Suitable

Use an extinguishing agent suitable for the surrounding fire.

Not suitable

None known.

Special exposure

hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal decomposition products Decomposition products may include the following materials:

metal oxide/oxides

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Accidental Release Measures

Personal precautions No action shall be taken involving any personal risk or without suitable training.

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal

protective equipment (see Section 8).

**Environmental** precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill Move containers from spill area. Vacuum or sweep up material and place in a

designated, labeled waste container. Dispose of via a licensed waste disposal

contractor.

Large spill Move containers from spill area. Prevent entry into sewers, water courses, basements

> or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

# **Handling and Storage**

Handling Put on appropriate personal protective equipment (see Section 8). Eating, drinking

and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering

eating areas.

Storage Store in accordance with local regulations. Store in original container protected from

> direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children.

## 8. Exposure Controls / Personal Protection

### **United States**

Ingredient	Exposure limits				
Silica, amorphous - diatomaceous earth	<b>OSHA PEL Z3 (United States, 9/2005).</b> TWA: 20 mppcf 8 hour(s). TWA: 80 mg/m³ 8 hour(s).				

### Canada

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)			Ceiling				
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
Silica, amorphous - diatomaceous earth	AB 6/2008	-	-	3	-	-	-	-	-	-	[a]
	BC 9/2010	-	-	10 1.5	1:	-	-	-	-	-	[b]
	ON 7/2010	-	-	10	:	-	-	-	- -	-	[d] [e]
	ON 6/2008	-	-	3   10	:	-	-	-	-  -	-	[f]
	ON 7/2010	-	-	3	:	-		-	-  -	-	[g] [h]
<b>=</b>	QC 6/2008	.  - <u>.</u>	-	6	ļ -	ļ- <sub></sub>	ļ-	-	۱۰ <u>.</u>	۱- ٍ	[0]

Form: [a]Respirable particulate [b]Total particulates [c]Respirable [d]Inhalable fraction: means that size fraction of the airborne particulate deposited anywhere in the respiratory tract and collected during air sampling with a particle sizeselective device that, (a) meets the ACGIH particle size-selective sampling criteria for airborne particulate matter; and (b) has the cut point of 100 µm at 50 per cent collection efficiency. [e]Respirable fraction: means that size fraction of the airborne particulate deposited in the gas-exchange region of the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the ACGIH particle size-selective sampling criteria for airborne particulate matter; and (b) has the cut point of 4 µm at 50 per cent collection efficiency. [f]The notation "inhalable" following the name of an agent in this Schedule means that size fraction of the airborne particulate deposited anywhere in the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the American Conference of Governmental Industrial Hygienists (ACGIH) particle size-selective criteria; and (b) has the cut point of 100 microns at 50 per cent collective efficiency. [g]The notation "respirable" following the name of an agent in this Schedule means that size fraction of the airborne particulate deposited in the gas-exchange region of the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the American Conference of Governmental Industrial Hygienists (ACGIH) particle size-selective criteria; and (b) has the cut point of 4 microns at 50 per cent collective efficiency. [h]The value is for particulate matter containing no asbestos and < 1 per cent crystalline silica. [i]Total dust.

#### <u>Mexico</u>

Ingredient	Exposure limits
Silica, amorphous - diatomaceous earth	NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 10 mg/m³ 8 hour(s).

#### Consult local authorities for acceptable exposure limits.

# Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

#### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### DR Doom D.E. Dust Insecticide

# 8. Exposure Controls / Personal Protection

#### Personal protection

Respiratory Use a properly fitted, air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Hands Chemical-resistant, impervious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this

is necessary.

Eyes Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

dusts.

Skin Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before

handling this product.

Personal protective

equipment (Pictograms)







Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and Chemical Properties

Physical state Solid.

Flash point [Product does not sustain combustion.]

VOC 0 % (w/w)

## 10. Stability and Reactivity

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid

No specific data.

Materials to avoid

No specific data.

Hazardous

decomposition products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

11. Toxicologic	al Information					
·						
-						·
Classification			• • • •			
Product/ingredient name Silica, amorphous - diatoma	ACGIH aceous earth -	IARC 3	EPA -	NIOSH -	NTP -	OSHA -
-				<del></del> -		
-						
<u>Canada</u>	***	<del>1957-17-101-</del>				
Acute toxicity						
-						
_						
<u>Classification</u>				· · · · · · · · · · · · · · · · · · ·		
Product/ingredient name Silica, amorphous - diatoma	ACGIH	IARC 3	EPA -	NIOSH -	NTP -	OSHA -
-						
· · -						
<u>Mexico</u>		***************************************				
Acute toxicity						
-						
_			<del>.</del>			
-						
<u>Classification</u>						
Product/ingredient name Silica, amorphous - diatoma	ACGIH	IARC 3	EPA -	NIOSH -	NTP -	OSHA -
_						
-		-				
12 . Ecological I	nformation					
Environmental effects	No known significant	t effects or cr	itical hazards	S.		
United States						
<b>2</b> t.						
<u>Canada</u>						
Mexico						

## 12. Ecological Information

# 13. Disposal Considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification

Not listed under RCRA

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Trans	port Info	rmation		(daga		
Regulatory information	UN number	Shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.		-	-		-
Mexico Classification	Not regulated.	-	-	-		-
			P(	G* : Packi	ng group	

# 15. Regulatory Information

**United States** 

**HCS Classification** 

Not regulated.

U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No

products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

## 15. Regulatory Information

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602

Class I Substances

Not listed

**Clean Air Act Section 602** 

Class II Substances

Not listed

**DEA List I Chemicals** (Precursor Chemicals)

Not listed

**DEA List II Chemicals** (Essential Chemicals)

Not listed

State regulations

Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components

are listed.

Louisiana Reporting: None of the components are listed. Louisiana Spill: None of the components are listed. Massachusetts Spill: None of the components are listed.

Massachusetts Substances: None of the components are listed. Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed: SILICA,

AMORPHOUS DIATOMACEOUS EARTH; KIESELGUHR **New Jersey Spill**: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. New York Acutely Hazardous Substances: None of the components are listed. New York Toxic Chemical Release Reporting: None of the components are listed. Pennsylvania RTK Hazardous Substances: None of the components are listed. Rhode Island Hazardous Substances: None of the components are listed.

**United States inventory** 

(TSCA 8b)

All components are listed or exempted.

Canada

WHMIS (Canada)

Not controlled under WHMIS (Canada).

Canadian lists

**CEPA Toxic substances**: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: None of the components are listed.

Alberta Designated Substances: None of the components are listed.

Ontario Designated Substances: None of the components are listed.

Quebec Designated Substances: None of the components are listed.

Canada inventory

At least one component is not listed in DSL but all such components are listed in

NDSL.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**Mexico** 

# 15. Regulatory Information

Classification

Health 1 0 Reactivity
Special

### EU regulations

Risk phrases

This product is not classified according to EU legislation.

### International regulations

International lists

Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted.

Japan inventory: Not determined.

Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or

exempted.

Philippines inventory (PICCS): All components are listed or exempted.

Chemical Weapons
Convention List
Schedule I Chemicals

Not listed

Chemical Weapons
Convention List

Not listed

Schedule II Chemicals
Chemical Weapons

Not listed

Convention List


Schedule III Chemicals

### 16. Other information

Label requirements

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

National Fire Protection Association (U.S.A.)

### 16. Other information

Health 1 0 Instability
Special

Date of issue

3/10/2014.

Version

0.01

Indicates information that has changed from previously issued version.

### **Notice to Reader:**

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Ultrasol Industries assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Ultrasol Industries does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Ultrasol Industries believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.